



Technical Drawing & FAQ Data Sheets



HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.


In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.


Eris 30 Art no. 45300




Eris 40 Art no. 45000









n

Safety Information


Ensure mains power supply is switched off before starting installation.


Before drilling, ensure there are no hidden cables or pipes in the wall.


HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.

Eris 50 Art no. 45100









Eris 60 Art no. 45200









Safety Information


Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.


HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.

Eris 80 Art no. 48100



Eris 120 Art no. 48200



Safety Information

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

Eris 30, 40, 50, 60, 80 & 120

		Version No. 12.06.18
	Product	Eris 30, Eris 40, Eris 50, Eris 60, Eris 80 & Eris 120
	Art. No.	Eris 30: 45300, Eris 40: 45000, Eris 50: 45100 Eris 60:45200, Eris 80:48100 & Eris 120:48200
	Product Description	Single/Double/Triple door cabinet with mirrored sides, double sided mirrored door and adjustable glass shelves.

Question	Answer
Nett weight (kg)	Eris 30: 18.5kg / Eris 40: 8.55kg / Eris 50: 11.4kg /Eris 60: 13.35kg Eris 80: 17.5kg / Eris 120: 27.8kg
How long is the warranty?	5 years from date of purchase on silvering coating on mirror
Does Eris 30, 40, 50, 60, 80 & 120 have illumination?	No
Does Eris 30, 40, 50, 60, 80 & 120 have any electrical components?	No
What oriantation can the mirror be hung?	All Cabinets can only be hung portrait
Are the shelves adjustable?	Yes
What is this cabinet made from?	Alluminium, Copper free mirror glass doors and glass sides & glass shelves

Safety Information

Ensure mains power supply is switched off before starting installation. Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.